



# RED DOT SIGHT

# CONTENTS

**CLOSED EMITTER REFLEX SIGHTS** .....01-07

**OPEN EMITTER REFLEX SIGHTS** .....08-11

**PRISM SIGHTS** .....12-17

**MAGNIFIER** .....18-19

# CLOSED EMITTER REFLEX SIGHTS

## HY9600



### FEATURES

- ▶ Solar Panel-Extending battery life
- ▶ Motion-sensing activation
- ▶ Nitrogen gas purged
- ▶ Fully multi-Coated lens

### RETICLE



### SPECS

Code ID	Magnification	Lens Size	Reticle Color	Click Value	Eye Relief	Length	Weight
HY9600	1x	22x17mm	Red/Green	1 MOA	Unlimited	41.5mm	46.8g

## HY9601



### FEATURES

- ▶ Side-loaded CR1632 battery
- ▶ Motion-sensing activation
- ▶ The battery life reaches 30000 hours
- ▶ 6.5mm Low-profile rear base

### RETICLE



### SPECS

Code ID	Magnification	Lens Size	Reticle Color	Click Value	Eye Relief	Length	Weight
HY9601	1x	24X20mm	Red	1 MOA	Unlimited	45.3mm	59.3g

# CLOSED EMITTER REFLEX SIGHTS


## HY9602



### FEATURES

- ▶ Side-loaded CR2032 battery
- ▶ Motion-sensing activation
- ▶ The battery life reaches 50000 hours
- ▶ Fully multi-Coated lens

### RETICLE



### SPECS

Code ID	Magnification	Lens Size	Reticle Color	Click Value	Eye Relief	Length
HY9602	1x	15.5x15.5mm	Red	1 MOA	Unlimited	47mm


## HY9617



### FEATURES

- ▶ Solar Panel-Extending battery life
- ▶ Motion-sensing activation
- ▶ The battery life reaches 50000 hours
- ▶ Fully multi-Coated lens

### RETICLE



### SPECS

Code ID	Magnification	Lens Size	Reticle Color	Click Value	Eye Relief	Length	Weight
HY9617	1x	23.5X16mm	Red	1 MOA	Unlimited	43mm	65g

# CLOSED EMITTER REFLEX SIGHTS


## HY9308



### FEATURES

- ▶ Side-loaded CR2032 battery
- ▶ Shock proof, Water proof and Fog proof
- ▶ The battery life reaches 100000 hours

### RETICLE



### SPECS

Code ID	Magnification	Lens Size	Reticle Color	Click Value	Eye Relief	Length	Weight
HY9308	1x	25mm	Red/Green	1 MOA	Unlimited	74mm	178g


## HY9310



### FEATURES

- ▶ Side-loaded CR2032 battery
- ▶ Shock proof, Water proof and Fog proof
- ▶ The battery life reaches 100000 hours
- ▶ Solar Panel-Extending battery life

### RETICLE



### SPECS

Code ID	Magnification	Lens Size	Reticle Color	Click Value	Eye Relief	Length	Weight
HY9310	1x	25mm	Red/Green	1 MOA	Unlimited	71mm	174g

# CLOSED EMITTER REFLEX SIGHTS

**HY9312**




**HY9312-1**



## FEATURES

- ▶ Solar Panel-Extending battery life
- ▶ Shock proof, Water proof and Fog proof
- ▶ The battery life reaches 20000 hours
- ▶ Quick release picatinny mount

## RETICLE




## SPECS

Code ID	Magnification	Lens Size	Reticle Color	Click Value	Eye Relief	Length	Weight
HY9312	1x	20mm	Red	1 MOA	Unlimited	93mm	206g

## FEATURES

- ▶ Solar Panel-Extending battery life
- ▶ Shock proof, Water proof and Fog proof
- ▶ The battery life reaches 20000 hours
- ▶ Quick release picatinny mount

## RETICLE



## SPECS

Code ID	Magnification	Lens Size	Reticle Color	Click Value	Eye Relief	Length	Weight
HY9312-1	1x	30mm	Red	1 MOA	Unlimited	112mm	314g

# CLOSED EMITTER REFLEX SIGHTS

## HY9313



### FEATURES

- ▶ Solar Panel-Extending battery life
- ▶ Shock proof, Water proof and Fog proof
- ▶ The battery life reaches 100000 hours
- ▶ Motion-sensing activation

### RETICLE



### SPECS

Code ID	Magnification	Lens Size	Reticle Color	Click Value	Eye Relief	Length	Weight
HY9313	1x	21mm	Red/Green	1 MOA	Unlimited	74mm	178g

## HY9301



### FEATURES

- ▶ Auto-off feature preserves battery life
- ▶ Shock proof and Water proof
- ▶ 8 levels & 2 night vision dot intensity setting
- ▶ Locking windage and elevation adjustments

### RETICLE



### SPECS

Code ID	Magnification	Lens Size	Reticle Color	Click Value	Eye Relief	Length	Weight
HY9301	1x	22mm	Red	1 MOA	Unlimited	74mm	177g

# CLOSED EMITTER REFLEX SIGHTS

**HY9272**



## FEATURES

- ▶ 8 levels & 2 night vision dot intensity setting
- ▶ MOTAC (Motion Activated Illumination) powers up when it senses motion and powers down when it does not.
- ▶ The battery life reaches 40000 hours

## RETICLE



## SPECS

Code ID	Magnification	Lens Size	Reticle Color	Click Value	Eye Relief	Length	Weight
<b>HY9272</b>	1x	22mm	Red	1 MOA	Unlimited	63mm	132g

**HY9279**



## FEATURES

- ▶ 8 levels & 2 night vision dot intensity setting
- ▶ Water proof and weather proof
- ▶ Motion-sensing activation
- ▶ The battery life reaches 30000 hours

## RETICLE



## SPECS

Code ID	Magnification	Lens Size	Reticle Color	Click Value	Eye Relief	Length	Weight
<b>HY9279</b>	1x	25mm	Red	1 MOA	Unlimited	78mm	171g

# CLOSED EMITTER REFLEX SIGHTS

## HY9618



### FEATURES

- ▶ Shake awake technology
- ▶ 8 levels & 2 night vision dot intensity setting
- ▶ The battery life reaches 50000 hours
- ▶ Multi-coated glass

### RETICLE



### SPECS

Code ID	Magnification	Lens Size	Reticle Color	Click Value	Eye Relief	Length	Weight
HY9618	1x	29x22mm	Red/Green	1 MOA	Unlimited	78mm	195g

## HY9619



### FEATURES

- ▶ AHolographic imaging technology, folded optical path, large search and aiming field of view
- ▶ Motion-sensing activation
- ▶ The battery life reaches 1000 hours
- ▶ Quick release picatinny mount

### RETICLE

### SPECS

Code ID	Magnification	Lens Size	Reticle Color	Click Value	Eye Relief	Length	Weight
HY9619	1x	31x22mm	Red	0.5 MOA	Unlimited	75mm	240g

# OPEN EMITTER REFLEX SIGHTS

## HY9280



### FEATURES

- ▶ Side load battery compartment
- ▶ 8 levels & 2 night vision dot intensity setting
- ▶ Motion-sensing activation

### RETICLE



### SPECS

Code ID	Magnification	Lens Size	Reticle Color	Click Value	Eye Relief	Length	Weight
HY9280	1x	24x17mm	Red/Green	No	Unlimited	46mm	61g

## HY9282



### FEATURES

- ▶ Bottom load battery compartment
- ▶ 8 levels & 2 night vision dot intensity setting
- ▶ Motion-sensing activation

### RETICLE



### SPECS

Code ID	Magnification	Lens Size	Reticle Color	Click Value	Eye Relief	Length	Weight
HY9282	1x	24x17mm	Red/Green	No	Unlimited	41mm	23g

# OPEN EMITTER REFLEX SIGHTS

## HY9283



### FEATURES

- ▶ Side load battery compartment
- ▶ The battery life reaches 40000 hours
- ▶ Multi-coated glass
- ▶ Motion-sensing activation

### RETICLE

3 MOA      5 MOA

### SPECS

Code ID	Magnification	Lens Size	Reticle Color	Click Value	Eye Relief	Length	Weight
HY9283	1x	29x29mm	Red/Green	No	Unlimited	70mm	105g

## HY9315



### FEATURES

- ▶ Solar Panel-Extending battery life
- ▶ The battery life reaches 20000 hours
- ▶ Multi-coated glass
- ▶ Motion-sensing activation

### RETICLE

3 MOA      3 MOA

### SPECS

Code ID	Magnification	Lens Size	Reticle Color	Click Value	Eye Relief	Length	Weight
HY9315	1x	28x38mm	Red/Green	No	Unlimited	82mm	180g

# OPEN EMITTER REFLEX SIGHTS

## HY9603



### FEATURES

- ▶ Motion-sensing activation
- ▶ 8 levels & 2 night vision dot intensity setting
- ▶ The battery life reaches 40000 hours
- ▶ Multi-coated glass


### RETICLE



### SPECS

Code ID	Magnification	Lens Size	Reticle Color	Click Value	Eye Relief	Length	Weight
HY9603	1x	22x16mm	Red/Green	1 MOA	Unlimited	40.8mm	52g

## HY9604



### FEATURES

- ▶ Motion-sensing activation
- ▶ 8 levels & 2 night vision dot intensity setting
- ▶ The battery life reaches 40000 hours
- ▶ Multi-coated glass

### RETICLE



### SPECS

Code ID	Magnification	Lens Size	Reticle Color	Click Value	Eye Relief	Length	Weight
HY9604	1x	24x20mm	Red/Green	1 MOA	Unlimited	45.3mm	58g

# OPEN EMITTER REFLEX SIGHTS

## HY9605



### FEATURES

- ▶ Motion-sensing activation
- ▶ 8 levels & 2 night vision dot intensity setting
- ▶ The battery life reaches 40000 hours
- ▶ Multi-coated glass

### RETICLE



### SPECS

Code ID	Magnification	Lens Size	Reticle Color	Click Value	Eye Relief	Length	Weight
<b>HY9605</b>	1x	26x22mm	Red/Green	1 MOA	Unlimited	49.5mm	64g

## HY9606



### FEATURES

- ▶ Water proof and Shock proof
- ▶ Multi-coated glass

### RETICLE



### SPECS

Code ID	Magnification	Lens Size	Reticle Color	Click Value	Eye Relief	Length	Weight
<b>HY9606</b>	1x	23x16mm	Red/Green	1 MOA	Unlimited	41mm	23g

# PRISM SIGHTS


## HY9610



### FEATURES

- ▶ Super Bright Reticle
- ▶ Water proof and Shock proof
- ▶ Nitrogen gas purged
- ▶ Multi-coated glass

### RETICLE



### SPECS

Code ID	Magnification	Objective Lens Dia	Eye Relief	Exit Pupil	Field of View	Length	Weight
HY9610	1x	18mm	97.9mm	16.5mm	16.4°	60mm	170g


## HY9611



### FEATURES

- ▶ Super Bright Reticle
- ▶ Water proof and Shock proof
- ▶ Nitrogen gas purged
- ▶ Multi-coated glass

### RETICLE



### SPECS

Code ID	Magnification	Objective Lens Dia	Eye Relief	Exit Pupil	Field of View	Length	Weight
HY9611	3x	21mm	69.2mm	8mm	7.3°	73mm	250g

# PRISM SIGHTS

**HY9612**



**HY9613**



**HY9615**




## FEATURES

- ▶ Audible click, click value 0.25 MOA
- ▶ Water proof and Shock proof
- ▶ Nitrogen gas purged
- ▶ Multi-coated glass

## SPECS

Code ID	Magnification	Objective Lens Dia	Eye Relief	Exit Pupil	Field of View	Length	Weight
HY9612	3x	30mm	69.2mm	10mm	7.3°	78mm	253g
HY9613	4x	30mm	67.5mm	7.5mm	5.4°	83.6mm	pending
HY9615	5x	30mm	66.4mm	6mm	4.3°	85mm	pending

## RETICLE (HY9612/ HY9613/ HY9615)



# PRISM SIGHTS


## HY9616



### FEATURES

- ▶ Audible click, click value 0.25 MOA
- ▶ Water proof and Shock proof
- ▶ Nitrogen gas purged
- ▶ Multi-coated glass

### RETICLE



### SPECS

Code ID	Magnification	Objective Lens Dia	Eye Relief	Exit Pupil	Field of View	Length	Weight
HY9616	6x	36mm	65.7mm	6mm	3.6°	95mm	pending


## HY9616-1



### FEATURES

- ▶ Audible click, click value 0.2 MIL
- ▶ Water proof and Shock proof
- ▶ Nitrogen gas purged
- ▶ Multi-coated glass

### RETICLE



### SPECS

Code ID	Magnification	Objective Lens Dia	Eye Relief	Exit Pupil	Field of View	Length	Weight
HY9616-1	6x	36mm	65.7mm	6mm	3.6°	95mm	285g

# PRISM SIGHTS


## HY9613-1/HY9615-1



### FEATURES

- ▶ Audible click, click value 0.25 MOA
- ▶ Water proof and Shock proof
- ▶ Nitrogen gas purged
- ▶ Multi-coated glass

### RETICLE (HY9613-1/HY9615-1)



### SPECS

Code ID	Magnification	Objective Lens Dia	Eye Relief	Exit Pupil	Field of View	Length	Weight
HY9613-1	4x	24mm	73.4mm	6mm	5.5°	84.7mm	244g
HY9615-1	5x	30mm	72.3mm	6mm	4.4°	98mm	272g

## HY9303/HY9305



### FEATURES

- ▶ Audible click, click value 0.25 MOA
- ▶ Water proof and Shock proof
- ▶ Nitrogen gas purged
- ▶ Multi-coated glass

### RETICLE (HY9303/ HY9305)



### SPECS

Code ID	Magnification	Objective Lens Dia	Eye Relief	Exit Pupil	Field of View	Length	Weight
HY9303	3x	32mm	76mm	8mm	6.5°	140mm	435g
HY9305	4x	32mm	76mm	8mm	6.5°	140mm	435g

# PRISM SIGHTS


## HY1305-1



### FEATURES

- ▶ Audible click, click value 1/2 MOA
- ▶ Water proof and Shock proof
- ▶ Nitrogen gas purged
- ▶ Multi-coated glass

### RETICLE



### SPECS

Code ID	Magnification	Objective Lens Dia	Eye Relief	Diopter	Field of View	Length	Weight
HY1305-1	3x	32mm	70mm	+/- 2.0	46.1ft (at 109yds)	134mm	430g


## HY1352



### FEATURES

- ▶ Audible click, click value 1/2 MOA
- ▶ Water proof and Shock proof
- ▶ Nitrogen gas purged
- ▶ Multi-coated glass

### RETICLE



### SPECS

Code ID	Magnification	Objective Lens Dia	Eye Relief	Diopter	Field of View	Length	Weight
HY1352	3x	32mm	70mm	+/- 2.0	46.1ft (at 109yds)	134mm	430g

# PRISM SIGHTS

HY9236/HY9236-1/HY9236-2




## FEATURES

- ▶ Audible click, click value 1/2 MOA
- ▶ Reticle type - Outer circle lighting , inner ranger finder

## SPECS

Code ID	Magnification	Objective Lens Dia	Eye Relief	Exit Pupil	Field of View	Length	Weight
HY9236	2.5x	32mm	80mm	12.4mm	7.2°	119mm	452g
HY9236-1	3x	32mm	80mm	10mm	6°	137.5mm	455g
HY9236-2	4x	32mm	80mm	8mm	45°	137.5mm	488g

## RETICLE



# MAGNIFIER

## HY9607



## HY9608



## HY9609



## FEATURES

- ▶ Flip to Side Mount Quick Release
- ▶ Shock proof, Water proof and Fog proof
- ▶ Nitrogen gas purged
- ▶ Multi-coated glass

## SPECS

Code ID	Magnification	Objective Lens Dia	Eye Relief	Exit Pupil	Field of View	Length	Weight
HY9607	3x	18mm	75.1mm	6mm	7.4°	69mm	246g
HY9608	5x	30mm	72.3mm	6mm	4.4°	94mm	290g
HY9609	6x	32mm	71.6mm	5.3mm	3.7°	97mm	318g

# MAGNIFIER

**HY9052**



## FEATURES

- ▶ Adjustable Diopter Ring
- ▶ Water proof and Shock proof
- ▶ Nitrogen gas purged
- ▶ Quick Release

## SPECS

Code ID	Magnification	Objective Lens Dia	Eye Relief	Exit Pupil	Field of View	Length	Weight
HY9052	3x	18mm	75.1mm	6mm	7.4°	69mm	246g





19F, 18TH XIHU RD YUEXIU DIST, GUANGZHOU

CHINA 510030

INFO@MARCOOL-CN.COM

+86-020-8332 9632

WWW.MARCOOLOPTICS.COM

DESIGNATION AIRLAS  
P/N 060910